

स्टेट ट्रेडिंग कॉर्पोरेशन ऑफ इण्डिया लिमिटेड  
(भारत सरकार का एक उपक्रम)  
जवाहर व्यापार भवन, टॉलस्टॉय मार्ग, नई दिल्ली - ११० ००१  
वेबसाइट: [www.stc.gov.in](http://www.stc.gov.in), WEBSITE: [co@stc.gov.in](mailto:co@stc.gov.in)  
दूरभाष: २३३१३१७७ फ़ैक्स: 23710298, 23701136, 23462337  
सामान्य आयात प्रभाग- (छठी मंजिल एनेक्सी)  
निविदा संख्या : एस टी सी/जी आई डी/405/2011-12  
दिनांक: 25.07.2011

THE STATE TRADING CORPORATION OF INDIA LTD.  
(A GOVT. OF INDIA ENTERPRISE)  
Jawahar Vyapar Bhawan, Tolstoy Marg, New Delhi-110001  
Website: [www.stc.gov.in](http://www.stc.gov.in), Email: [co@stc.gov.in](mailto:co@stc.gov.in)  
Telephone: 23313177, 23701038 Fax: 23710298, 23701136, 23462337

GENERAL IMPORTS DIVISION  
(6<sup>TH</sup> FLOOR Annexe)  
**TENDER NO.STC/GID/405/2011-12 Dated 25.07.2011**

हमारी नीचे उल्लेखित मदों के आयात हेतु हमारे कुछ अंतिम प्रयोक्ता उपभोक्ता की ओर से एक सुदृढ़ इन्क्वायरी है

We have a firm enquiry for import/supply of the below mentioned item(s) from some of our end user customers :-:-

**List of Scientific Equipments to be purchased**

| Sl. No | Name of Equipments  | Full Specifications  | Requirement Quantity/ Nos |
|--------|---|--|---------------------------|
| 1      | Comparison Bridge with Computer attachment and colored Image Capture, Storage and retrieval | Automated Comparison bridge with the following observation modes- full screen left, full screen right with motorized controlled.<br>Split Image with adjustable dividing line and strip, color contrasting capability.<br>The comparison bridge should be capable of superimpose image comparison, side by side comparison and zoom compensation function.<br>The two microscopes used with comparison bridge having | One                       |

|   |                                     |  |                       |
|---|-------------------------------------|--|-----------------------|
|   |                                     | <p>fluorescence and polarization contrast capability with identical magnification reproducible illumination and color balance of the left and right microscope image various magnification option should available upto 400X.</p> <p>The system should be computer controlled having at least 8 mega pixel camera for image capture along with software for image documentation and processing.</p> <p>The computer should be branded and with color laser printer.</p>  |                       |
| 2 | Electrostatic Dust Mark Lifting Kit | DLK Kit with Electrostatic voltage control unit, Ground Plane nickel plated sheet 4" X 6", Ground Plan poly carbonate insulating sheet 5" X 7", Insulated Roller, 9v Alkaline Battery, Static Discharge Cable, Metalized pick-up mats in protective tube.  | 20<br>(Twenty)<br>Nos |
| 3 | Electronic Balance                  | <ul style="list-style-type: none"> <li>• Weighing Range: 220 g.</li> <li>• Readout: 0.1 mg</li> <li>• Reproducibility: 0.2 mg</li> <li>• Linearity: <math>\pm 0.2</math> mg.</li> <li>• Platform size: 80 mm dia.</li> <li>• Automatic internal calibration.</li> <li>• Backlid LCD Display.</li> <li>• Metal housing.</li> <li>• Draft shield with glass sliding doors.</li> <li>• RS 232 data interface.</li> <li>• Percentage determination.</li> <li>• Load support.</li> <li>• Piece counting.</li> <li>• Mains adaptor 230V / 50 Hz.</li> <li>• Switchable measuring weighing units.</li> <li>• o Free installation, working demonstration and suitable warranty</li> <li>•</li> </ul> | One                   |
| 4 | Shaking Water Bath                  | <ul style="list-style-type: none"> <li>• Temp. range: Amb...99.9deg.C</li> <li>• Display resolution: +/-0.1deg.C</li> <li>• Temp. stability: +/-0.02deg.C</li> <li>• Interface: RS 232</li> <li>• Heater Capacity: 2000W</li> </ul>  | One                   |

|  |  |  |  |
|--|--|--|--|
|  |  | <ul style="list-style-type: none"> <li>• Shaking Freq.: 20...200rpm</li> <li>• Bath opening: WxLxD 50x30/18cm</li> <li>• Filling volume: 8..20 Ltrs</li> <li>• Dimensions WxLxH: 70x35x26cm</li> <li>• Amb. Temperature: 5...40deg.C</li> </ul> <p>ADDITIONAL FEATURES</p> <ul style="list-style-type: none"> <li>• Seamless, splash-proof keypad</li> <li>• Splash Proof mains switch</li> <li>• Electronic timer for setting the running time</li> <li>• Dry running protection/safety temp. fixed at 130deg.C</li> <li>• Removable shaking carriage</li> <li>• Shaking frequency adjustable from 20 to 200rpm</li> <li>• Shaking frequency indicated on MULTI-DISPLAY [LED]</li> <li>• Shaking stoke 15mm</li> <li>• Bright multi-display [LED]</li> <li>• Microprocessor Technology with PID temperature control</li> <li>• Online communication via built in RS 232 interface</li> <li>• Early warning system with high and Low temperature limits</li> <li>• Drain screw for conveniently emptyingthe bath</li> <li>• Easy temperature control software <ul style="list-style-type: none"> <li><input type="checkbox"/> Lift-up Makrolon Cover</li> <li><input type="checkbox"/> Basic tray for assembling max. 4 test tube racks on a mix and match basis</li> </ul> </li> <li>• Test tube rack for 60 test tubes 16/17mm dia for polypropylene</li> <li>• Test tube rack for 90 test tubes 12/13mm dia for polypropylene</li> <li>• Test tube rack for 90 microliter tubes 11/12mm dia for polypropylene</li> <li>• Test tube rack for 21 tubes 30mm dia for polypropylene</li> <li>• FL 300 Recirculating Cooler</li> </ul> <p>Working temp. Range: -20..+40deg.C<br/> Temp. stability: +/-0.5deg.C<br/> Display: LED<br/> Display resolution: 0.1deg.C</p> |  |
|--|--|--|--|

|   |                 |   |             |
|---|-----------------|---|-------------|
|   |                 | <p>Pump capacity:</p> <ul style="list-style-type: none"> <li>- Pressure: 350 mbar</li> <li>- Flow rate: 15 LPM*</li> <li>- Cooling capacity: 20deg.C at 300W 10deg.C at 50W 0deg.C at 200W -5deg.C at 150W-20deg.C at 100W</li> </ul> <p>Filling volume: 3...4.5 Ltrs</p> <ul style="list-style-type: none"> <li>- Dimensions WxLxH: 25x50x60cm with Cooling coil</li> </ul> <p>ADDITIONAL ACCESSORIES</p> <p>All purpose spring tray for Erlenmeyer flasks 250ml. Incl. Set of springs for Erlenmeyer flasks 25ml...1000mlAqua stabil Water Bath</p> <p>ProtectiveMedia 6 bottles, 100ml each, USB Interface adapter cable</p>   |             |
| 5 | Digital Oven    | <ul style="list-style-type: none"> <li>• Microprocessor controlled Temperature control</li> <li>• Volume: 115 Liter x 2 Stackable.</li> <li>• Air Convection: Natural and Forced Air.</li> <li>• Temperature Range : Ambient + 5 0 C to 220 0 C</li> <li>• Trays : 2 Standard (Max. 4)</li> <li>• Control Panel: Automatic</li> <li>• Temperature setting with degree accuracy</li> <li>• Time range : 0-99.9 hours</li> <li>• Over temperature protection with visual alarm.</li> <li>• Stainless Steel interior with 2 chrome plated trays.</li> <li>• Exhaust duct at rear of the unit with manually adjustable slide.</li> <li>• Large digital display for temperature &amp; time.</li> <li>• Power Supply : 230 Volt 50/60 Hz.</li> <li>• Door : Right hinge</li> <li>• Stackable Units.</li> <li>• Free installation , working demonstration and suitable warranty</li> </ul> | One         |
| 6 | Digital Balance | <p>High quality electronic balance with readability of 0.0001gms to 1.0gm LCD or fluorescent display capacity and residue tare display. Square Weighing Pan 135x135mm Closed glass Cover. Max. Weighing 500gm, facility for measuring specific gravity.</p>   | <b>Four</b> |

|   |                    |  |            |
|---|--------------------|--|------------|
| 7 | 35 mm Enlarger     | Colour, Black & White analyzing system making complete auto print system, Timer etc  | <b>One</b> |
| 8 | Digital SLR Camera | Digital SLR Camera- 18-55 lens, 28-105 Zoom lens, Image Sensor, Recording System, White Balance, Viewfinder, Live view shooting, Auto focus/ Manual, Exposure Control, Shutter, Built-in flash, External Speedlite, Drive System, LCD Monitor, Image Playback, Image protection and erase, Direct Printing, Digital print order format, Direct image transfer, Power source/ Battery, 4 GB Memory Card. Processing unit- Complete printing system A-4 Size with NOTE BOOKCore 2 duo processor, genuine window 7 Operating System, 3GB Memory Card, 320 GB Hard drive, 15.6" Display, Video Card, Optical drive, Wireless Network Card, Security Software, Bluetooth, 65 watt adaptor   | <b>One</b> |
| 9 | Water Bath         | <ul style="list-style-type: none"> <li>Temp. range: Amb...99.9deg.C</li> <li>Display resolution: +/-0.1deg.C</li> <li>Temp. stability: +/-0.2deg.C</li> <li>Interface: RS 232</li> <li>Heater Capacity: 2000W</li> <li>Shaking Freq.: 20...200rpm</li> <li>Bath opening: WxLxD 50x30/18cm</li> <li>Filling volume: 8..20 Ltrs</li> <li>Dimensions WxLxH: 70x35x26cm</li> <li>Amb. Temperature: 5...40deg.C</li> </ul> <p>ADDITIONAL FEATURES</p> <ul style="list-style-type: none"> <li>Seamless, splash-proof keypad</li> <li>Splash Proof mains switch</li> <li>Electronic timer for setting the running time</li> <li>Dry running protection/safety temp.fixed at 130deg.C</li> <li>Removable shaking carriage</li> <li>Shaking frequency adjustable from 20 to 200rpm</li> <li>Shaking frequency indicated on MULTI-DISPLAY [LED]</li> <li>Shaking stroke 15mm</li> <li>Bright multi-display [LED]</li> <li>Microprocessor Technology with PIDtemperature control</li> <li>Online communication via built in RS 232 interface</li> </ul> | <b>One</b> |

|    |              |   |              |
|----|--------------|---|--------------|
|    |              | <ul style="list-style-type: none"> <li>• Early warning system with high and Low temperature limits</li> <li>• Drain screw for conveniently emptying the bath</li> <li>• Easy temperature control software</li> <li>• Lift-up Makrolon Cover 01</li> <li>• All purpose spring tray for Erlenmeyer 01</li> <li>• flasks 250ml. Incl. Set of springs for</li> <li>• Erlenmeyer flasks 25ml...1000ml</li> </ul> <p><b>ADDITIONAL ACCESSORIES</b></p> <ul style="list-style-type: none"> <li>• Basic tray for assembling max. 4 02 test tube racks on a mix and match basis</li> <li>• Test tube rack for 90 microliter tubes 02 11/12mm dia, made of stainless steel</li> <li>• Test tube rack for 21 test tubes, 01</li> <li>• stainless steel</li> <li>• Test tube rack for 60 test tubes 01</li> <li>• 16/17mm dia made of stainless steel</li> <li>• Test tube rack for 90 test tubes 01</li> <li>• 2/13mm dia made of Stainless steel</li> <li>• Free installation, working demonstration and suitable warranty</li> </ul> |              |
| 10 | Deep Freezer | <ul style="list-style-type: none"> <li>• -20°C, freeze with all accessories.</li> <li>• Double Door with digital technology.</li> <li>• Double Door :-gross freezer about 226 Ltr and Refrigerator 323 Ltr.</li> <li>• Cooling features No frost, Multi flow</li> <li>• Interior Light 30Wx1EA, Spill proof selves, 5 door pockets.</li> <li>• Refrigerator features with chill compartment interior</li> <li>• light30x7EA with shelves.</li> <li>• Freezer features LED, Exterior display C Shelves and pocket.</li> <li>• Exterior features: long handle, 4 star freezer rating</li> <li>• with door alarm</li> <li>• Other Cyclopentane insulating with silver nano health system .</li> </ul> <p>Free installation, working demonstration and suitable warranty</p>  | <b>Three</b> |

|    |  |   |  |
|----|--|---|--|
| 11 | Encase latest model / version digital voice recorder with power adapters (4). Encase version 56 SATA Hard Disk write blocker                 | <ul style="list-style-type: none"> <li>• EnCase Software Version 6 or higher</li> <li>• SATA Hard Disk write Blocker Duplicating Devices</li> <li>• PATA Hard Disk Write Blocker duplicating Devices</li> <li>• Hard Drive Seizer - Devices IDE, EIDE, ATA, PATA, LAPTOP, SATA, SCSI,</li> <li>• USB External Storage Devices</li> <li>• Cell Seizer Tool &amp; Kit</li> <li>• Anti Virus Softwares</li> <li>• Fast block. For SATA , PATA , Mobile drives. (2)</li> <li>• SIM Card Reader</li> </ul> |  |
| 12 | Software Library of IR Spectra related to pesticides and drug for matching or suspected spectra on existing FTIR Bruker make model Tensor-27 | NDLDRG-X-NICODOM IF DRF 1061<br>Digital searchable Libraries compatible with Bruker FTIR Model Tensor-27  |  |

### **Item -13**

## **Crime Scene Kits -4 Nos each**

### **Specification of Scene of crime Kit**

1. Forensic kit for blood (Blood Stain Detection Tablets – 10 set of Tablets)
2. Blood origin determination strip (Hexagon Obti – 10 Strips ½)
3. Forensic semen detection (Acid Phosphate Test Cards – 10 Cards)
4. Drug detection Tester (10 Testers) for detection of Heroin, Cocaine/Crack, Methamphetamine, Amphetamine, MDMA, Ephedrine,

LSD, Methadone, Ketamine, PCP, Pentazocine, Propoxyphene, PMA, Oxycodone, AMT, DMT, Mescaline, Pethidine.

5. Explosive detection Tester (10 Testers) for detection of TNT, DNT, RDX (C-4), PETN, SEMTEX, DYNAMITE, NG, SMOKLESS POWDER, POTASSIUM NITRATE (Black Powder), AMMONIUM NITRATE (ANFO), UREA NITRATE.
6. Field Testing Kit for Bullet Hole Identification Capable of identifying bullet holes caused by many types of bullets, namely lead, full metal jacket (FMJ) total metal jacket <sup>TM</sup> bullets, etc.
7. Personal protection kit for detection of coverall, w/hood, Pair of Anti-skid Shoe/ Boot Covers, Pair of Latex Gloves, UV Protective- Safety Goggles, Dust mask, Biohazard Disposal Bag, Anti Microbial Wipe, Exposure Incident Form, Kit Instruction Sheet.
8. General Crime Scene Kit with
  - Elimination Kit (Inkless Round Pad and Slips)
  - Digital Camera (10 Mega Pixel)
  - Digital Distance Measuring Device
  - Barrier & Warning Tape
  - Spray Crime Scene Marking Paint
  - Pocket Compass
  - Folding Scale for Crime Scene
  - Large (3xD) LED Torch
  - Portable UV Light
  - Pocket Knife
  - Swiss Knife (21 Functions)
  - Laser Pointer
  - Illuminated Magnifier
  - Vernier Caliper Digital
  - Ratchet Screwdriver Set with Assorted Heads
  - Small Hacksaw
  - Heavy Duty Scissors
  - Glass Cutter
  - Pick Tool
  - Set of Forceps
  - File



- Scalpel
- Set of Permanent Markers (5 Colors)
- Roll of Evidence Labels
- Pack of Evidence Tags
- Set of Assorted Evidence Zipper Bags
- Set of Evidence Vials, Pipettes, Jars
- Evidence Tin for Bullets
- Electric Test Master Screwdriver
- Digital Multi Meter
- Heavy Duty Pliers
- Small Hammer
- Set of Soap & Towel
- All in a big molded trolley carrying case.
- Along with field aluminum carrying case.

## 9. SPECIFICATION OF DLK KIT

It should be a professional wide type footprint searching light bright LED's to create extra powerful light, should be for the use for forensic professionals.

This kit should be capable of **find and lift** footprints. Should provide high-power white LED, simulated natural daylight and the light in uniform linear level. The large scope of **search** footprints at the scene. Plus a powerful digital electrostatic device to **lift** footprints at the scene.

Both light and digital electrostatic device should be rechargeable.

### **Contents of Kit:**

- ❑ **Foot Print Wide Search Light Unit**
- ❑ **Foot Print Electrostatic Dust Print Lifting Kit**

### **Foot Print Wide Search Light Unit:**

|                  |                 |
|------------------|-----------------|
| Light Source     | LED             |
| LED life         | More Than 50000 |
| Hours            |                 |
| Luminous Flux    | 3800 lm         |
| Battery          | Rechargeable    |
| Charging Voltage | 220 Volt        |
| Accessories      | Chargers        |
| Weight           | Less Than 4Kg   |
| Carrying Case    | Aluminum Box    |

**Foot Print Electrostatic Dust Print Lifting Material:**

|   |       |
|---|-------|
| Digital Electrostatic Voltage Control Rechargeable Unit | 01 no |
| Static Discharge Cable                                  | 01 no |
| Film Roll for Lifting Dust Mark 20" wide                | 10 no |
| Ground Plane, Steel 4"x6"                               | 01 no |
| Ground Plane Insulated Sheet 5"x7"                      | 01 no |
| Heavy Duty Rubber Gloves                                | 02 no |
| Plastic Handle Scissor                                  | 01 no |
| Wooden Handle Roller                                    | 01 no |

**Other Support Material:**

|   |         |
|---|---------|
| Digital Still Camera 10-12Mega Pixel                      | 01 no   |
| Photographic Evidence Folding Scale 2Mtr                  | 01 no   |
| Pack of Rigid Photo Adhesive Scales (Black, White & Grey) | 01 no   |
| Evidence Storage Box                                      | 20 no   |
| Foot Print Residue Lifters 6" x 15" (Black & White)       | 20 Each |
| Gel Lifters 6" x 15" (Black & White)                      | 05 each |
| Evidences Labels  | 50 no   |

## नियम एवं शर्तें

आपसे अनुरोध है कि उपर्युक्त उत्पाद रेंज हेतु अपनी सर्वाधिक प्रतियोगी ऑफर 2 निविदा प्रणाली के अधीन ( दो प्रतियों में) प्रस्तुत करें । आपकी ऑफर एक मोहरबंद लिफाफे में सही प्रकार से निविदा संख्या का उल्लेख करते हुए श्री आर.सी.मल्होत्रा, संयुक्त महा प्रबंधक,, सामान्य आयात प्रभाग, एसटीसी ऑफ इण्डिया लिमिटेड, जवाहर व्यापार भवन, टॉलस्टॉय मार्ग, नई दिल्ली - 110 001 को संबोधित करते हुए जवाहर व्यापार भवन, टॉलस्टॉय मार्ग, नई दिल्ली - 110001 की एसटीसी भूतल मंजिल( स्वागत) में रखे हुए एक निविदा बॉक्स में जमा की जानी चाहिए ।

आपकी ऑफर में निम्नलिखित शामिल होने चाहिए:

- 1) एफओबी मूल्य, सी ई पी नई दिल्ली और जयपुर / Junga (शिमला)  
(राजस्थान/हिमाचल प्रदेश) मूल्य.  
(एफओबी मूल्य के ऊपर, एयरफ्रेट इंदिरा गांधी अंतरराष्ट्रीय हवाई अड्डा, नई दिल्ली तक, कस्टम क्लीयरेंस शुल्क, Junga- शिमला अंतर्देशीय बीमा और IGI नई दिल्ली से परिवहन शुल्क ( आइटम 1 के लिए) और जयपुर, राजस्थान (आइटम 2 to 13 के लिए), आदि को दिया जा रहे हैं (i) के पक्ष में कस्टम की मंजूरी के लिए दस्तावेजों सप्लायर के एजेंट हैंडलिंग नामित, (ii) शुल्क छूट प्रमाण पत्र और. (iii) कस्टम ड्यूटी (आदेश प्राप्त होने पर प्रविष्टि के बिल की प्रतिलिपि शुल्क राशि के लिए सीमा शुल्क के साथ दर्ज) एसटीसी द्वारा प्रदान किया जाएगा
- 2) मूल (ऑरिजिन) देश (यह निर्यातक देश के चैम्बर ऑफ कॉमर्स द्वारा सही प्रकार से समर्थित हो जो माल के पोत-लदान के समय प्रस्तुत किया जाएगा । )
- 3) डिलीवरी कार्यक्रम-हमें तत्काल डिलीवरी की आवश्यकता है ।
- 4) भुगतान शर्तें - हम सीएडी/एलसी आधार पर कार्य करते हैं । एलसी 100% मूल्य हेतु (संस्थापना (इंस्टालेशन) पर और अंतिम प्रयोक्ता विभाग की ओर से प्रमाणन पर जो संतोषजनक संस्थापना का साक्ष्य देगा) एलसी के मामले में भारत के बाहर देय सभी बैंक प्रभार (एलसी पुष्टि प्रभार सहित) आपके खाते में जाएंगे ।
- 5) कीमत की वैधता - आपकी ऑफर निविदा बंद होने की तारीख से 6 महीनों तक हमारे द्वारा स्वीकृति के लिए वैध होगी ।
- 6) पोत लदान पत्तन

- 7) आपूर्तिकर्ता का बैंक विवरण
- 8) वारंटी अवधि-उद्धरित उपकरण हेतु न्यूनतम रूप से तीन वर्ष की वारंटी होगी और निर्माता को जब भी आवश्यकता होगी एक लघु नोटिस पर बिक्री पश्चात् सेवा उपलब्ध करानी होगी ।
- 9) उपकरण के सही प्रचालन हेतु अपेक्षित सीआईएफ, नई दिल्ली के उपभोग्य की एक विस्तृत सूची भी निविदा ऑफर के साथ प्रस्तुत की जाएगी ।

10) **निविदा कार्यक्रम:-**

- i) ऑफर प्राप्त करने की अंतिम तारीख और समय: 08.08 2011, भारतीय मानक समय के अनुसार अपराह्न 3.00 बजे तक

त्त) ऑफर खुलने का समय और तारीख: 08.08.2011, भारतीय मानक समय के अनुसार अपराह्न 3.30 बजे ।

11) **2 निविदाओं में ऑफर आमंत्रण**

सभी निविदाकर्ताओं से अपेक्षा की जाती है कि वे अपनी ऑफर 2 लिफाफों में - तकनीकी निविदा और कीमत निविदा (संलग्न निर्धारित प्रपत्र में) (दो प्रतियों में ) प्रस्तुत करें । दोनों लिफाफे अलग अलग मुहरबंद होने चाहिए और इन पर निविदा संख्या और तारीख और निविदा खुलने की तारीख लिखी जानी चाहिए । ये दोनों लिफाफे एक तीसरे लिफाफे में रखे जाने चाहिए और इसे मुहरबंद किया जाना चाहिए । इस लिफाफे पर भी **निविदा संख्या, मद का विवरण धरोहर राशि जमा तकनीकी निविदा वाले लिफाफे में रखी** जानी चाहिए ।

सभी मदों के विस्तृत तकनीकी विनिर्देश, तकनीकी निविदा प्रपत्र में उल्लेखित की गयी है, वह भी इस सूचना के साथ संलग्न है ।

निविदाएँ उसी दिन उपस्थित होने के इच्छुक निविदाकर्ताओं की उपस्थिति में खोली जाएंगी।

(क) एसटीसी की कार्पोरेट नीति के संबंध में मुख्य आपूर्तिकर्ताओं की ऑफर्स पर सामान्य की तरह विचार किया जाएगा । ऑफर्स डाक/कूरियर/स्पीड पोस्ट के द्वारा भी भेजी जा सकती हैं । किन्तु ये निविदा के अंतिम समय से पहले प्राप्त हो जानी चाहिए । निविदा समापन समय के बाद कोई ऑफर स्वीकार नहीं होगी ।

(ख) सभी ऑफर्स उद्धृत दरों के 2% की धरोहर राशि जमा (ईएमडी) के साथ एसटीसी ऑफ इण्डिया लिमिटेड, नई दिल्ली के पक्ष में पे-आर्डर/डिमांड ड्रॉफ्ट के रूप में जमा की जाएंगी। तथापि

सुविधा के लिए विदेशी आपूर्तिकर्ता अपेक्षित धरोहर राशि जमा अपने भारतीय एजेंटों के माध्यम से समकक्ष भारतीय मुद्रा में जमा कर सकते हैं यदि वे ऐसा करने के इच्छुक हों ।

(ग) प्राप्त ऑफर (सशर्त आफरों के अलावा), निविदाएँ खोलने के बाद अंतिम प्रयोक्ता विभाग को मूल्यांकन हेतु अग्रेषित की जाएगी ।

(घ) उन निविदाकर्ताओं की वित्तीय निविदाएँ बाद में खोली जाएंगी जिनकी तकनीकी निविदाएँ अनुमोदित हैं ।

(ङ) सफल निविदाकर्ता को निविदा/आर्डर देने पर कीमत के 10% के बराबर भारतीय मुद्रा में और उपकरण के गारंटी अवधि तक वैध संविदा के सही निष्पादन के लिए निविदाकर्ता (अवार्डी) द्वारा निष्पादन गारंटी प्रस्तुत की जाएगी । निष्पादन गारंटी एवं निविदा अवार्ड होने से पहले प्रस्तुत करनी होगी । 2% धरोहर राशि जमा (ईएमडी) निष्पादन गारंटी के प्रस्तुत करने के समय समायोजित की जाएगी जोकि आर्डर/संविदा की कीमत के 8% की दर से निष्पादन गारंटी के साथ कुल 10% हो जाएगी । (as per Schedule “B”)

(च) आपसे यह भी अनुरोध है कि कृपया भारत में बिक्री पश्चात सेवा व्यवस्था का विवरण दें। ऑफर्स के साथ भारत में आपकी सेवा प्रतिनिधि का नाम, उनका पूर्ण पता और सम्पर्क नम्बर भी हमें सूचित किया जाए ताकि अंतिम विभाग को सूचित किया जा सके ।

(छ) भाग लेने वाले निविदाकर्ता एसटीसी की निविदा की शर्तों को बिना शर्त और असंदिग्ध रूप से स्वीकारते हुए निविदा कागज़ात के प्रत्येक पृष्ठ पर मोहर सहित हस्ताक्षर करेंगे और इसे ऑफर (तकनीकी निविदा)के साथ प्रस्तुत करेंगे । एसटीसी की निविदा शर्तों को उपयुक्त रूप से स्वीकार न करने वाले ऑफर एक दम निरस्त कर दिए जाएंगे । किसी भी प्रकार का परिवर्तन स्वीकार्य नहीं होगा । टेंडरकर्ता को हस्ताक्षर तथा मोहर लगाकर निम्नलिखित प्रमाणित करना होगा

प्रमाण पत्र

प्रमाणित किया जाता है कि टेंडर न. एसटीसी/जीआईडी/----/ 2011-12 दिनांक--  
के लिए संलग्न ऑफर टेंडर की निबंधन एवं शर्तों तथा विनिर्देशों में बिना किसी भी प्रकार  
के परिवर्तन के पूर्णतया अनुरूप है ।

टेंडरकर्ता के हस्ताक्षर  
नाम तथा पदनाम  
कम्पनी की मुहर

(ज) एसटीसी को बगैर कोई कारण बताए पूर्णतया या अंशतया निम्नतर ऑफर सहित किसी भी  
या सभी ऑफर्स को स्वीकार या अस्वीकार करने का अधिकार है । सशर्त ऑफर्स पूर्णतया  
अस्वीकार कर दी जाएँगी । इसी प्रकार अपेक्षित धरोहर राशि जमा के बगैर जमा की गई या अधूरी  
ऑफर्स को भी अस्वीकार कर दिया जाएगा ।

( आर.सी.मल्होत्रा )  
संयुक्त महा प्रबंधक

टे.न.23462129  
नई दिल्ली,

## **TERMS AND CONDITIONS**

You are requested to submit your most competitive offer (In Duplicate) under 2 bid system for the above product range. Your offer in a sealed cover duly superscribing the Tender No. Item No. & Name of Item addressed to Shri R.C. Malhotra, Joint General Manager, General Imports Division, STC of India Ltd., Jawahar Vyapar Bhawan, Tolstoy Marg, New Delhi-110001 may be dropped in a Tender Box placed conspicuously at the STC's Ground Floor Reception at Jawahar Vyapar Bhawan, Tolstoy Marg, New Delhi – 110001.

Your offer must include the following :-

- 1) **FOB Price, CIP New Delhi & FOR Junga –Shimla (Himachal Pradesh)/Jaipur (Rajasthan) price.**  
(Break-up of insurance, airfreight upto IGI Airport, New Delhi, Custom Clearance charges, Inland Insurance and Transportation Charges from IGI New Delhi to Junga, Shimla (For Item at S.Nos. 1 ) & Jaipur, Rajasthan (For Items at S.Nos.2 to 13) are to be given. The documents for (i) custom clearance in favour of nominated handling agent of the supplier, (ii) Duty exemption certificate and (iii) Pay Order (upon receipt of copy of Bill of Entry filed with customs) for duty amount shall be provided by STC.
- 2) Country of Origin (Certificate Duly supported by Chamber of Commerce of the exporting country to be submitted at the time of shipment of goods )
- 3) Delivery Schedule – We need immediate deliveries.
- 4) Payment terms – We operate on CAD/ LC Basis. LC for 100% value and payment under LC to be released against submission of shipment documents, as defined in order including certificate from the end-user Department evidencing satisfactory installation & training of the equipment at end-users premises .100 % payment under the LC shall be released after receipt, installation & commissioning of the equipment at the end user premises including operational training thereof. In case of LC, all bank charges (including LC confirmation charges) payable outside India would be to Seller's account
- 5) Validity of Price – Your offer to be valid for acceptance by us up to 6 months from the Tender closing date.
- 6) Port of Shipment.
- 7) Supplier's Bank Details
- 8) Warranty Period – The equipment quoted for shall carry a warranty of minimum 1 years and the manufacturer shall have to provide after sales service at end user premises, as and when required at a short notice.
- 9) The detailed list of consumables and spares with CIF, New Delhi prices, required for smooth functioning of the equipment, shall also be submitted along with tender offer.

**SPECIAL INSTRUCTIONS TO THE TENDER NOTICE FOR COMPLIANCE OF THE TENDER PARTICIPANTS :-**

- A. All Equipments to be offered with installation, supervision and complete training to operating staff .
- B. Standard Products should be offered, be of latest models and meet **international specifications and norms of safety, environment, pollution etc.** Models and specifications should be clearly spelt out.
- C. It is mandatory to enclose Product literature with the bids.
- D. In case equivalent make/model/brand is offered, a comparative statement with the make/model/brand desired by customer should be enclosed with bid.
- E. Service arrangements in / for India/ site should be mentioned clearly in the bids. Similarly services included in the price offered for equipment/machines should be mentioned.
- F. Specifications are indicative, better specification may be offered as optional.
- G. Names where ever mentioned are for reference purpose, equivalent or better specification/ brand may be offered.
- H. List of essential spares and consumables should be mentioned and prices offered for the same as optional items.

**10) Schedule to Tender :-**

- a) **Closing date & time for receipt of Offer :08.08.2011 upto 1500 Hrs IST**
- b) **Opening of Offers , Date & Time: 08.08.2011 at 1530 Hrs IST**

**11) Offers invited in two bids :**

All Bidders are required to submit their offers in two cover i.e. Technical and Price Bid- (in duplicate). Both the covers should be separately sealed and super –scribed with Tender No. and Date and Date of Opening. The two covers should thereafter be kept in a third cover and sealed. This cover should also be super-scribed with the **Tender No., Item Description and the date of Tender Opening.**

The detailed Technical Specifications of all the items have been mentioned in the Tender Notice.

The tenders will be opened the same day in presence of the Tenderers desirous to be present.

- (A) Having regard to STC's Corporate Policy, offers from Principal suppliers or their Authorized agents with Tender Specific authorization in their favour as per Schedule 'A' enclosed only shall be considered. Offers otherwise submitted, if



any, are thus liable to be rejected summarily. Offers can also be sent by Mail/Courier/Speed Post, but to be received before the Tender Closing Time. Offers received after the closing time will not be considered.

- (B) All offers shall be submitted along with an Earnest Money Deposit (EMD) of 2% basis rates quoted (in the Form of Pay Order / Demand Draft in favour of The STC of India Ltd., New Delhi ). However, for sake of convenience the foreign suppliers may submit the requisite EMD through their Indian Agents in equivalent Indian Currency, should they so desire.
- (C) The Financial Bids of the Tenderers whose Technical Bids are approved shall be opened subsequently.
- (D) Upon award of the Tender/Order to the successful bidder, a Performance Guarantee for due performance of the Contract, **valid up to the warranty period** of the equipment, equivalent to 10% of the order value shall be submitted by the awardee in the prescribed format in favour of end-user department through a Nationalized Bank in India. (As per Schedule “B”)
- (E) The offers received (other than conditional offers) after opening of bid(s) shall be forwarded to the end-user department for their evaluation.
- (F) You are also requested to kindly give the details of after sales service arrangements in India. The name of your Service representative in India along with his complete address and contact numbers may also be informed to us along with the offer so that the same could be notified to the end-user.
- (G) The participating tenderers will sign and stamp each page of the tender document in token of their acceptance of STC’s tender terms unconditionally and unequivocally and submit same along with the offer (Technical Bid). The offer, not accompanied by STC’s tender terms duly co-accepted, shall be summarily rejected.
- (H) No deviation, whatsoever, shall be acceptable. The tenderer has to submit the following certificate:

### CERTIFICATE

Certified that the enclosed offer against Tender No. STC/GID/405/2011-12 dated 25.07.2011 is in total conformity with tender terms & conditions including special instructions and specifications without any deviation, whatsoever.

Place:

SIGNATURE OF THE TENDERER

Date:

NAME & DESIGNATION OF TENDERER

COMPANY SEAL

- (I) In case of delay in supplies beyond the quoted delivery period, liquidated damages to the extent of 0.5% of the cost of the delayed supplies per week is applicable, subject to a maximum of 10%. Beyond this period, we reserve the right to either extend further or to cancel the contract.
- (J) Arbitration: Any dispute or difference whatsoever arising between the parties out of or relating to the construction, meaning, operation or effect of the contract or the breach thereof shall be settled by arbitration in accordance with the Rules of Arbitration of the Indian Council of Arbitration, New Delhi and the award made in pursuance thereof shall be binding on the parties. The contract shall in all aspects be governed by Indian laws. The courts in India at New Delhi alone shall have jurisdiction in the matter. The language of Arbitration shall be English.
- (K) It shall be the exclusive right of STC to accept or reject any or all offers including the lowest offer either wholly or partly without having to assign any reason therefore. Conditional offers are liable to be rejected summarily. Like wise, incomplete offers or offers submitted without the requisite EMD are also likely to be rejected..

New Delhi.  
25.07.2011

**R.C. MALHOTRA**  
**Jt GENERAL MANAGER**  
**Direct Tele No. - 23462129**

**UNDERTAKING TO BE SUBMITTED BY PRINCIPAL MANUFACTURER /  
DISRIBUTER**

Schedule "A"

It is to certify that

M/s \_\_\_\_\_

**(Name & Address of Tenderer) is our Authorised Distributor / Dealer. They are  
Authorised to submit tender for \_\_\_\_\_ (Name of Item) to the  
State Trading Corporation of India Ltd., New Delhi against their Tender Notice No  
\_\_\_\_\_ Dated \_\_\_\_\_.**

The Equipment / Item is Guaranteed for minimum one year Comprehensive Guarantee / Warranty with Spare Parts from the date of installation and Authorised Distributor / Dealer shall during the Guarantee period replace the parts if any, or rectify any manufacturing defect found during the above period so as to make the machinery operative and in perfect condition.

They are also Authorised to carry out Annual Maintenance Contract and repairs contract for the period as desired by the purchase officer after the expiry of one year comprehensive Guarantee / Warranty. They will be responsible to ensure adequate regular supplies of spare parts, consumables, non- consumables needed for the same whether AMC or otherwise.

In case of change of Authorised Distributor / Dealer, we will inform the purchase officer accordingly. The new Dealer / Distributor will be responsible for after sales & service and annual maintenance and repairs contract as above. In case of failure of Authorised Dealer / Distributor we will be responsible for providing after sales service of the equipment as per terms and conditions of tender and contract.

**SIGNATURE OF THE PRINCIPAL MANUFACTURER/ DISRIBUTER  
WITH RUBBER STAMP**

Note: This Undertaking should be Typed & Signed by Principal Manufacturer/  
Distributor on his Original Letter Pad

PERFORMANCE BANK GUARANTEE FORMAT

(To be executed by any Prime Bank in India having their Branch in the State of End-user  
Department on stamp paper of Rs.100/-)

Name & Address of the Buyers(End-user Department)

\_\_\_\_\_

1. Against Tender No. \_\_\_\_\_ dated \_\_\_\_\_ and Contract No. \_\_\_\_\_ Dated - \_\_\_\_\_ (hereinafter called the Contract entered into between the STC of India Ltd., New Delhi for and on behalf of \_\_\_\_\_ (hereinafter called the Buyers/End user Department) and M/s. \_\_\_\_\_ (Name and Complete Address) (hereinafter called the Sellers) this is to certify that at the request of the Sellers, we \_\_\_\_\_ Bank unconditionally and irrevocably guarantee to pay to the Buyers immediately on first demand, the amount of US \$/Rupees \_\_\_\_\_ (@ 10% of contract value) without any protest or demur or reference to the Sellers if the Sellers fail to perform all or any of their obligations under the said contract. The decision of the Buyer/End user \_\_\_\_\_ or The STC of India Ltd., New Delhi duly communicated in writing to the bank that the sellers have failed to perform all or any of the obligations under the contract shall not be questioned and be final and conclusive. The said amount of US \$/Rupee \_\_\_\_\_ will accordingly forthwith be paid without any conditions or requirement of our proof whatsoever failing which interest @ 15% p.a. on monthly rest basis shall be payable by the Bank to Buyer.
2. It is fully understood that this guarantee is effective for a period upto \_\_\_\_\_ (12 Months + Delivery Period) and that we \_\_\_\_\_ Bank undertake not to revoke this guarantee during its currency (upto claim period) without the consent in writing of the Buyers.
3. We \_\_\_\_\_ Bank, further agree that the buyer shall have the fullest liberty, without affecting in any manner or obligations hereunder to vary any of the terms and conditions of the said contract or/extend time of performance by the Sellers from time to time or to postpone for any time or from time to time any of the powers exercisable by the Buyers against the said sellers and/or forebear to enforce any of the terms & conditions relating to the said contract and we, \_\_\_\_\_ Bank shall not be released from our liabilities under this guarantee by reasons of any such variations or extension being granted to the said sellers or for any forbearance and/or commission on the part of the buyers, or any indulgence by the Buyers, to the said Sellers or by any other matter or thing whatsoever which under the law relating to the sureties would, but for this provision have the effect of so releasing us from our liability under this performance guarantee. We further agree that the validity period

of this Performance Bank Guarantee will be extended by us upon receipt of any such request in writing from the Buyer and any charges on account thereof shall be to the account of supplier on whose behalf this Bank Guarantee is being opened.

4. We \_\_\_\_\_ Bank further agree that the guarantee herein contained shall not be affected by any change in the constitution of the said Sellers/Buyers.
5. The Guarantee will be governed by Indian Laws and will be subject to the jurisdiction of competent courts in the State of Buyer / End – user India alone.
6. No claim shall be admissible against the Buyer in respect of interest on Performance Guarantee regardless of the time of release.
7. This Guarantee will remain in force up to \_\_\_\_\_ (12 Months + Delivery Period) and any demand in respect thereof should reach Bank not later than 10 (Ten) working days (claim period) from the expiry of above validity date.

FOR \_\_\_\_\_ BANK

ACCEPTED