

**THE STATE TRADING CORPORATION OF INDIA LIMITED**  
**JAWAHAR VYAPAR BHAWAN, TOLSTOY MARG, NEW DELHI**  
**(A GOVT. OF INDIA ENTERPRISES)**

**NOTICE INVITING TENDER**

BP&MD/STC/HC/13-14.

Dt. 01.6.2013.

**Name of work:**            **Construction of temporary Record room (size 16' x 60' approx.) for ICD items at Community Centre, STC Housing Colony, New Delhi.**

I, **S.C.Dass, Chief Engineer of STATE TRADING CORPORATION OF INDIA LTD., having Regd. Office at JAWAHAR VYAPAR BHAWAN, 1, TOLSTOY MARG, NEW DELHI – 110 001**, hereby invite tender for the above mentioned as per the B.O.Q. in two envelope systems i.e. **Technical Bid & Financial Bid**.

1.     The tender copies can be had from **Office of the Chief Engineer, STC Of India Ltd., 20<sup>th</sup> Floor, Jawahar Vyapar Bhawan, Tolstoy Marg, New Delhi – 110 001** during working hours from **27.06.2013 to 19.07.2013** on all working day between **11.00 A.M. and 4.00 P.M.** on payment of a non-refundable cost of Tender Documents of **Rs.1,000/- (Rupees one thousand only)** in the form of Demand Draft/banker's cheque in favour of **STATE TRADING CORPORATION OF INDIA LTD, payable at NEW DELHI.**
2.     The tender duly filled in, signed & sealed and super scribed "**Construction of temporary Record room (size 16' x 60' approx.) for ICD items at Community Centre, STC Housing Colony, New Delhi**" and addressed to **THE STATE TRADING CORPORATION OF INDIA LTD.,** shall be dropped in the **Tender Box** kept in the Reception at Ground Floor of **JAWAHAR VYAPAR BHAWAN, TOLSTOY MARG, NEW DELHI – 110 001**, not later than **3.00 PM** on **22.07.2013**. The tenders will be opened on same day at **3.30 P.M.** at the same place in presence of Contractors or their authorized representatives if they wish to be present.
3.     Tenders, duly filled in as stipulated above, should be dropped in the **Tender Box** mentioned at para (2) above. **NO OTHER FORM OF DELIVERY IS ACCEPTABLE** and tenders not dropped in the tender box shall be summarily rejected.

**(S.C.DASS)**  
**CHIEF ENGINEER (CIVIL)**  
For and on behalf of State Trading Corporation of India Ltd.

**THE STATE TRADING CORPORATION OF INDIA LIMITED**  
**JAWAHAR VYAPAR BHAWAN, TOLSTOY MARG, NEW DELHI**  
**(A GOVT. OF INDIA ENTERPRISES)**

BP&MD/STC/HC/13-14.

Dt 01.06.2013.

**TENDER NOTICE**

**Name of work:**           **Construction of temporary Record room (size 16' x 60' approx.) for ICD items at Community Centre, STC Housing Colony, New Delhi.**

Sealed item rate tenders are invited from the experienced contractors, who had executed similar type of works in CPWD, PWD, MCD, DDA, P&T, PSU's, Semi-Govt. departments, MNC's, for the above mentioned work. Documents from clients to be attached.

Sealed tenders based on this notice and terms & conditions and Bill of Quantities attached along with a **Cross Bank Draft** for **Rs. 20,000/-** in favour of '**The State Trading Corporation of India Ltd.**' towards EMD should be furnished and put in the **Tender Box** kept at **Ground Floor (Reception), Jawahar Vyapar Bhawan, Tolstoy Marg, New Delhi – 110 001** on **22.07.2013** by **3.00 PM**. Tender delivery by post or by Courier shall be summarily rejected. Only tenders dropped in the **Tender Box** shall be considered. The tenders shall be opened at **3.30 PM** on the same day **at** the same place, in the presence of tenderers who may wish to be present. The tender without requisite Earnest Money shall be summarily rejected. The Earnest Money deposit of the unsuccessful tenderers shall be refunded within a month of opening of the tenders and no interest will be paid on it.

STC, reserves the right to cancel or reject any or all the tenders without assigning any reasons thereof.

All corrections/overwriting made while filling the quotations must be authenticated by the tenderer.

Each tender document is required to be signed by the tenderer in token of his/their having acquainted himself/themselves with the Tender Notice and Terms & Conditions. The rates quoted in the tender should be firm and for all heights and levels and inclusive of all charges of materials, scaffolding, tools and plants, labour and fluctuations in the market rates, VAT, Service Tax, sales tax, excise duty, octroi and other taxes etc.

Quantities mentioned in the schedule are approximate and subject to change. No compensation will be paid on account of reduction in quantity of any item of work. Payment shall be made on actual executed quantity. The quoted rates are valid for the actual quantities of work executed. No escalation on any account shall be paid on the quoted rates during the period of contract and also during the duly sanctioned extension of time, if any.

The work shall not be considered as complete until the Engineer Incharge, STC has certified in writing that the same has been virtually completed and defect liability period shall commence from the date of issue of such certificate. Virtual completion certificate will not be issued until the contractor shall clear the site of all malba, scaffolding, surplus materials and huts etc. and remove all dirt and dust from the site.

The contractor shall acquaint himself with the site conditions and make his own arrangements for storage of materials at site. No material shall be supplied departmentally.

The quantity and quality of materials to be used shall be got approved from the Engineer Incharge, STC before execution of work. The contractor will rectify the defects pointed out to him by Engineer Incharge, STC and shall remove from the site all the rejected materials immediately.

The contractor will be fully responsible for any injury or accident to any person(s) employed by him, to the residents and for any damage to any structure or any part of the property which may arise due to operation/negligence of the contractor or its workers while executing the work.

**Income Tax, WCT and Service Tax as applicable thereon will be deducted from the running account bills/final bill as per prevailing rates.**

The rates quoted by the tenderers shall be valid for acceptance for a period of **90 days** from the date of opening of the tender.

The rates shall be quoted only in the Bill of Quantity and each page of tender shall be signed. Any cutting or overwriting shall be initialed.

While quoting the rates, the word “**only**” should be written closely following the amount and it should not be written in the next line.

The tenderer should not arrange witness on tender form, from a person who has tendered for the same work.

The tenderer shall not sublet the work to other contractor.

No condition/deviation which is either additional or in modification of tender conditions shall be included in the bid/tender submitted by the tenderer. If the tender contains any such condition on deviation from the tender conditions, the tender will be rejected. STC's decision in this regard shall be final and binding.

In the event of the tender being submitted by a partnership firm, it must be signed by each partner thereof, and further it must also disclose that the firm is duly registered under the Indian Partnership Act, 1932.

The contractor upon award of the work shall comply with all the required statutory provision e.g. Payment of Wages Act, Apprentice Act, Workmen's Compensation Act, Contract Labour (Regulation & Abolition) Act, Industrial Disputes Act, Maternity Benefit Act, etc. and the rates made there under from time to time. If any claim, on account of non-compliance of the above laws by the contractor arises against the STC, the tenderer shall indemnify the STC. The Engineer

Incharge, STC shall have the right to deduct from the money due to the contractor any sum required or estimated to be required for making good the loss suffered by a worker or workers.

The tender documents can be purchased from **Shri S.C.Dass, Chief Engineer (Civil) at 20<sup>th</sup> Floor, Jawahar Vyapar Bhawan, New Delhi**, on any working day between **11.00 AM to 4.00 PM** on payment of a non-refundable fee of **Rs. 1,000/-** in the shape of Demand Draft in favour of **“STC Of India Ltd.”**, payable at **New Delhi** upto **19.07.2013**. **If down-loaded from STC/Govt’s websites, the cost of Tender Documents of Rs. 1000/- in the shape of DD in favour of STC of India Limited shall be furnished.**

The tenderers are advised to inspect the site and satisfy themselves of site conditions before submitting their tenders. A tenderer shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charges consequent upon any misunderstanding or otherwise shall be allowed.

This notice of tender shall form a part of the contract agreement.

**(S.C.DASS)**  
**CHIEF ENGINEER (CIVIL)**  
For and on behalf of State Trading Corporation of India Ltd.

**THE STATE TRADING CORPORATION OF INDIA LIMITED**  
**JAWAHAR VYAPAR BHAWAN, TOLSTOY MARG, NEW DELHI**  
**(A GOVT. OF INDIA ENTERPRISES)**

**TERMS & CONDITION**

**Name of work:**           **Construction of temporary Record room (size 16' x 60' approx.) for ICD items at Community Centre, STC Housing Colony, New Delhi.**

The following are the terms & conditions for the above mentioned work:-

1.     The work will be executed strictly as per specifications by the contractor to the entire satisfaction of the Engineer Incharge, STC and time period of completion will be **90 days** to be reckoned from the 7<sup>th</sup> day of the date of written order from the STC to the contractor to commence the work.

The contractor, before commencing the work, shall prepare a detailed work programme, which will be approved by STC.

In case, the successful tender does not commence the work by stipulated date in terms of Award Letter, EMD shall stand forfeited, in addition to recovery of other damages/losses caused to STC on this account. The party shall also be Black Listed for participate in all subsequent tenders.

2.     **SECURITY DEPOSIT**  
Security Deposit @ 10% will be deducted from the bills of contractor and no interest will be paid on the above amount.
  - (I) The Earnest Money Deposited by the successful tenderer along with the tender shall be adjusted against the Security Deposit.
  - (II) Total security deposit as deducted on the above basis shall be refunded without interest by STC after **six month** from the date of completion of the work and after due certification by Engineer Incharge, STC that no defects have been noticed in the work.
3.     If the contractor desires an extension of time of completion the work on the grounds of having been unavoidable hindrance in its execution or any other ground, he shall apply in writing to the Engineer Incharge, STC about the hindrance on account of which he desires such extension as aforesaid and the Chief General Manager (P&A), STC shall authorize such extension of time as may in his opinion be necessary and proper. No application for extension of time shall be considered by STC under this clause unless it is made by the contractors before scheduled date of completion of work.
4.     If the contractor fails to complete the work in time including approved extended time period of completion, a penalty for non-completion of the work @ **1%** of the contract value for each day of delay including holidays subject to maximum of **10%** of the tendered value of work. The decision of STC in this regard, shall be final and binding on the contractor.

5. STC may at its discretion, change or alter any specifications or design during the course of execution of the work and the contractor shall have no objection to the same.
6. The contractor shall execute an agreement on non-judicial stamp paper of Rs. 100/- within one week's time from the date of issue of award work as per approved proforma. The cost of stamp paper shall be borne by the party. This notice of tender shall form a part of the contract agreement.
7. All payments to the contractor shall be released by STC on the basis of work and amount certified by Engineer Incharge, STC.
- 8.. The contractor shall submit the bills in duplicate, giving complete description of items of work done strictly as per Bill of Quantities.
9. The rates quoted shall be inclusive of all the taxes viz **VAT, WCT, etc.**, for all tools and plants and everything necessary for proper execution of work to the entire satisfaction of STC and no escalation due to increase in price of materials/labour shall be made.
10. The Contractor is to fully indemnify STC of India against any type of loss/accident caused due to the negligence of contractor and he should take all precautions for smooth execution of the work.

The work of dismantling/re-casting of RCC roof slab should be carried out with special care to avoid damages to the existing structure and interiors at the site of work. If any damages observed at site which is due to the negligence of the contractor's part, the same shall be made good at his own cost i.e. without any extra cost to STC.

11. In case of any disputes, decision of Chief General Manager (P&A.), STC will be binding on both the parties.
12. The Contractor shall make his/their own arrangements for water and power supply for execution of work, in case water and electricity supplied by the STC, **1%** for each i.e. water & electricity totaling to **2%** of the bill amount will be recovered from the contract.
13. The ex-employee of the Corporation i.e. STC is/are not permitted to participate in the tender/ quotation.
14. The terminated/de-barred/Black Listed party from any organizations such as Govt./Semi-Govt./Private/PSUs/MNCs etc. are not allowed to participate in the said tender enquiry. The bidder has to produce self attested certificate in this regard. If the bidder deliberately gives wrong information in this tender, the same is liable for rejection at any stage and EMD and/or Security Deposit shall be forfeited by the Corporation.
15. It is intention of STC that all payments to the contractor shall be effected by EFT. All tenderers should confirm that they are agreeable to this and are prepared to sign any third party agreement as may be requested in the bank.
16. The tenderer shall seal the tender in two envelopes duly marking on the envelopes as under:-
  - (A) First envelope shall be marked "Technical Bid" along with the following details in the envelope:
    - (i) EMD of Rs. 20,000/-

- (ii) Tender documents duly stamped & signed, experience certificate, supporting documents etc.
  - (iii) Name, Telephone Numbers and address of the contractor.
  - (iv) DD/Pay Order of Rs. 1000/- towards documents cost, if downloaded from STC/Govt. website.
- (B) Second envelope marked as “Financial Bid” for
- (i) Tender’s Schedule of Quantity duly stamped and signed.
  - (ii) Name, Telephone Numbers and address of the contractor.
17. The first envelope shall contain the Technical Bid, Earnest Money Deposit and all the pre-qualification documents required for eligibility experience and qualification whereas the second envelop shall contain only the Financial Bid clearly marked in bold letters as ‘**FINANCIAL BID**’. First envelope shall be opened on **22.07.2013** at **3.30 PM** and the second envelope containing ‘**FINANCIAL BID**’ of only those tenderers who have qualified in the technical bid shall be opened after pre-qualification of the tenderers. The date and time of opening the price bids shall be intimated to the pre-qualified tenderers later on.

**S.C.DASS)**  
**CHIEF ENGINEER (CIVIL)**  
For and on behalf of State Trading Corporation of India Ltd.

**THE STATE TRADING CORPORATION OF INDIA LTD.:NEW DELHI**  
**JAWAHAR VYAPAR BHAWAN, TOLSTOY MARG, NEW DELHI**

**SCHEDULE OF QUANTITIES**

**Name of work:** Construction of temporary store room (size 16' x 60' approx.) for ICD items at Community Centre, STC Housing Colony, New Delhi.

**A: CIVIL WORK FOR RECORD ROOM AT STC COLONY**

Sl. No.	Description of item	Qty.	Unit	Rate (Rs.)	Amount (Rs.)
1.	Earth work in surface excavation not exceeding 30 cm in depth but exceeding 1.5 m in width as well as 10 sqm. on plan including disposal of excavated earth up to 50 m and lift up to 1.5 m, disposed soil to be leveled and neatly dressed in all kind of soil.	20	CUM		
2.	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20 cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50m and lift upto 1.5m.	24	CUM		
3.	Supplying & filling in plinth with Jamuna sand under floors, including watering, ramming, consolidating and dressing complete.	10	CUM		
4.	Providing & laying in position cement concrete of specified grade excluding the cost of centering and shuttering – All work up to plinth level 1:5:10 (1 cement: 5 coarse sand: 10 graded stone aggregate 40mm nominal size).	12	CUM		
5.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in :  Cement mortar 1:6(1 cement : 6 coarse sand)	22	CUM		
6.	Providing & laying damp-proof course 40mm thick with cement concrete 1:2:4 (1 cement :2 coarse sand :4 graded stone aggregate 12.5mm nominal size)	13	SQM		
7.	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement Mortar 1:6 (1 cement: 6 coarse sand) including scaffolding complete.	40	CUM		



8.	Reinforced cement concrete work in beams, suspended floors, roofs having slop up to 15 degree landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement, with 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size).	03	CUM		
9.	Centering and shuttering including strutting, propping etc. and removal of form for :  Lintels, beams, plinth beams, girders, bressumers and cantilevers.	28	SQM		
10.	Steel reinforcement for RCC work including straightening, cutting, bending, placing in position and binding all complete above plinth level. -Mild steel and Medium Tensile steel bars.  - Thermo-Mechanically Treated bars.	50 250	KG KG		
11.	Providing & laying cement concrete in retaining walls, return walls, wall (any thickness) including attached pilasters, columns, piers, abutments, pillars, posts, struts, buttresses, string or lacing courses, parapets, coping, bed blocks, anchor blocks, plain window sills, fillets, sunken floor, etc. up to floor five level, excluding the cost of centering, shuttering & finishing : 1:2:4 (1cement: 2 coarse sand: 4 graded stone aggregate 20mm nominal size).	0.25	CUM		
12.	Cement concrete flooring 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40mm thick with 20mm nominal size aggregate.	130	SQM		
13.	Providing & fixing glass strips in joints of cement concrete floors – 40mm wide and 4mm thick.	200	MTR.		
14.	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc. in medium weight, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete with painting of approved colour. Hot finished welded type tubes.	1100	KG.		

15.	12mm Cement Plaster of mix : 1:4 (1 cement : 4 find sand)	200	SQM		
16.	15mm Cement Plaster on the rough side of single or half brick wall of mix : 1:4 (1 cement : 4 find sand)	200	SQM		
17	Providing & fixing T-iron frames for doors, windows and ventilators of mild stell Tee- sections, joints mitred and welded, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. Fixing with 15x3mm lugs 10cm long embedded in cement concrete block 15x10x10cm of C.C. 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size).	30	KG		
18	Providing & fixing 1mm thick MS Sheet door with frame of 40x40x6mm angle iron and 3mm MS gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using MS angle 40x40x6mm for diagonal braces.	05	SQM		
19.	Providing & fixing standard steel glazed doors, windows and ventilators in walls, including fixing of float glass panes with glazing clips and special metal sash putty of approved make, or metal beading with screws including applying a priming coat of approved steel primer. Fixing with 15x3mm lugs 10 cm long embedded in cement concrete block 15x10x10cm of C.C. 1:3:6 (1 cement :3 coarse sand :6 graded stone aggregate 20mm nominal size)	200	KG.		
20.	Providing corrugated GS sheet roofing including vertical/curved surface fixed with polymer coated J or L hooks, bolts and nuts 8mm diameter with bitumen and GI limpet washers or with GI limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of steels complete (up to any pitch in horizontal/vertical or curved surfaces), excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. 0.80mm thick with zinc coating not less than 275 gm/sqm.	165	SQM		

21.	Providing ridges or hips of width 60cm overall width plain GS sheet fixed with polymer coated J or L hooks, bolts and nuts 8mm dia GI limpet and bitumen washers complete.  0.80mm thick with zinc coating not less than 275 gm/sqm.	20	MTR.		
22.	Extra for providing and fixing wind ties of 40x6mm flat iron section.	120	MTR.		
23.	White washing with lime to given an even shade : New work (three or more coats)	200	SQM		
24.	Finishing walls with waterproofing cement paint of required shade :  New work (two or more coats applied @ 3.84 kg/10 sqm).	200	SQM		
25.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade including undercoat of Red Oxide Primer wherever required. Two or more coats on new work.	20	SQM		
26.	Brick edging 7 cm. wide 11.4 cm deep to plinth protection with common burnt clay F.P.S. (non modular) bricks of class designation 7.5/1 <sup>st</sup> . Class, including grouting with cement mortar 1: 4 (1 cement: 4 find sand).	55	MTR.		
27.	Providing & fixing MS grills of required pattern in frames of windows etc. with MS flat, square or round bars etc., including priming coat with approved steel primer all complete.  Fixed to steel windows by welding.	50	KG		
28.	Providing & fixing fly proof wire gauge to windows, clearstory windows & doors with MS flat 15x3mm and nuts & bolts/screws complete. Stainless steel (grade 30 <sup>''</sup> ) wire gauge of 0.5mm dia wire and 1.4mm aperture on both sides.	06	SQM		
29.	Extra for providing & fixing steel beading of size 10x10x1.6mm (box type), approved shape and section with screws in steel doors, windows, ventilators and complete units.	65	RM		
30.	Providing & fixing expanded metal 20x60 mm strands 3.25mm wide and 1.6mm thick				

	for windows etc., including fixing beading of appropriate size of MS patti by welding including applying priming coat with approved steel primer all complete.	04	SQM		
31.	Providing & laying half brick masonry with cement mortar 1:4 (1 cement : 4 coarse sand) as per site requirement.	10	SQM		
32.	Providing & fixing 15mm GI pipe in wall/flooring/external line work with GI ('C' Class – Jindal/Hissar make) including GI fittings, Union, etc. complete including chasing/cutting and making good the same.	25	RM		
33.	Providing & fixing 15mm angle valve of Parko make with CP connection pipe.	02	No.		
34.	Providing & fixing 15mm CP long body bib cock of approved brand (medium class).	03	No.		
35.	Providing & fixing Hindware/Parryware Indian WC of white colour Urissa Pan including PVC cistern and long band etc. complete.	01	No.		
36.	Providing & fixing Hindware/Parryware Chinaware Washbasin of size 550 x 400 mm (White colour) with angle iron stay, one CP jali and PVC waste pipe complete.	01	Set		
37.	Providing & fixing bevelled looking mirror of size 450 x 600mm of approved brand with backing ply or CP screws.	01	No.		
38.	Providing & fixing stainless steel sink with drain board of Topaz make or equivalent of size 450 x 900 mm and 150mm deep including angle supports, PVC waste pipe complete.	01	Set		
39.	Providing & fixing 4" PVC pipe and fittings of approved brand for drainage of pantry and WC including P-Trap and brick work chamber/manhole with CI cover as per the instruction of Site Incharge and making connection to sewer line by providing all required material.	1 Job	L.S.		
40.	Providing & fixing Glazed tiles of size 8"x12" and 12"x12" of approved colour and shade (Somany/Orient make) on walls/floor complete with based plaster with cement mortar.	20	SQM		
41.	Providing & fixing PVC door with frame of size 750 x 2100mm of Shree brand complete with hardware and fittings.	01	No.		
42.	Providing & fixing in position 20 mm thick POP false ceiling including wire mesh, GI channel/runner with hanging arrangement				

	for line & level complete with 3” thick cornice including cutting holes/opening as per site requirement and finishing with OBD (Asian brand) with primer complete..	15	SQM		
43.	Providing & fixing curtain rod with nobs/cups, hooks and MS stay/support complete with synthetic curtain of approved colour/shade to the window of size 1200x1200mm complete.	01	No.		
<b>(A) TOTAL</b>					

**B: ELECTRICAL WORK FOR RECORD ROOM AT STC COLONY**

S.No	Specification	UNIT	QTY	Rate(Rs)	Amount (Rs)
<b>1</b>	<b>Points</b>				
	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed steel conduit, with anchor switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required.	Point	12		
<b>2</b>	<b>CFL Lights</b>				
	Supply of BAJAJ make 15 watt CFL model -ECOLUX 15w 2U COOL DAY LITE	Each	10		
	Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable and earthing etc. as required.	Each	10		

<b>3</b>	<b>Switch/socket(5 Amp)</b>				
	Wiring for power plug with 4X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 2 Nos 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required	Metre	20		
	5/6 amps switch	Each	2		
	3 pin 5/6 amp socket outlet	Each	2		
<b>4</b>	<b>Switch/Socket(16 Amp)</b>				
	Wiring for light/ power plug with 4X4 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed steel conduit along with 2 Nos 4 sq. mm FR PVC insulated copper conductor single core cable for loop earthing as required	Metre	35		
	Supplying and fixing following switch/ socket on the existing plate & switch box including connections but excluding modular plate etc. as required.				
	15/16 amp switch	Each	4		
	6 pin 15/16 amp socket outlet	Each	4		
<b>5</b>	<b>Fans</b>				
	Wiring for fan point with 1.5 sq.mm FR PVC insulated copper conductor single core cable in surface / recessed steel conduit, with switch, plate, suitable GI box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required for Group-C.	Point	1		
	Supplying and fixing stepped type electronic fan regulator on the existing plate switch box including connections but excluding modular plate etc. as required.	Each	1		
	Supply of BAJAJ Maxima ceiling fan				

	Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable, including providing and fixing phenolic laminated sheet cover on the fan box etc. as required.	Each	1		
<b>6</b>	<b>Exhaust fans</b>				
	Supply of BAJAJ Maxima DXL fresh air fans	Each	2		
	Installation of exhaust fan Upto 300 mm sweep, in the existing opening, including making good the damage, connection, testing, commissioning etc. as required.	Each	2		
	Fixing the louvers/ shutters complete with frame for a exhaust fan of all sizes.	Each	2		
<b>(B) TOTAL</b>					
<b>GRAND TOTAL (A+B)</b>					
Rupees.....					
.....only)					

**(Signature of Tenderer with seal)**